

MIAMI S1P

KU093N

CE UNI EN ISO 20345:2012 S1P SRC ESD

Safety Sandal, IDROTECH® WRU grain Nubuck leather thickness 1,8-2,0 mm.

Highly perspiring and abrasion resistant fabric lining.

Closing with strap.

COMPLETELY METAL FREE SHOE

TOECAP 200J polymeric **composite non-thermic** accordin to EN 12568

MIDSOLE flexible antiperforation composite fabric according to EN 12568

SOLE KUBE bidensity polyurethane antistatic, resistant to hydrolysis ISO 5423:92, to hydrocarbons and to abrasion, anti-shock and anti-slipping **SRC**

INSOLE 5000, three-materials extracomfort: perspiring, removable, anatomic, absorbing, ESD and anti-bacterial

The shoe satisfies the requirement according to the norm IEC 61340-4-3:2017 (IEC 61340-5-1:2016) for the electrical resistance **ESD**

Size 35-47 Shoe weight Sz 42 gr. 525



CERTIFICATIONS



TECHNOLOGIES AND MATERIALS



SECTORS

 COMPONENTS AND AUTOMOTIVE  WOOD METAL CARPENTRY 
LOGISTICS AND LIGHT INDUSTRY  ESD AREAS

SOLE




In order to avoid the high number of accidents caused by slipping danger, Giasco realized an **excellent anti-slipping product**.

This sole is called **Kube**, a young and sporty styled shoe equipped with a special gripping compound and specific cubic dowels with inverted profile in the outsole.

With thanks to these special characteristics Kube obtained the maximum certification against slipping: **jobs on inclined roofs** (UNI 11583:2015).

ANTISLIPPING TEST RESULTS		
	request	results
SRA		
ceramic +	HEEL \geq 0,28	0,37
NaLS	FLAT \geq 0,32	0,39
SRB		
steel +	HEEL \geq 0,13	0,20
glycerol	FLAT \geq 0,18	0,30



SRA+SRB=

SRC
ANTI-SLIPPING SOLE

PLUS



AIRNET®
Airnet® is a certified technology that guarantees the maximum perspiration of the foot by wearing a strong and abrasion resistant safety shoe. Thanks to its construction air tunnel, facilitates the air passage and the material, 100% polyester, guarantees a perfect resistance to abrasion, to traction, to tearing and to washing.



IDROTECH®
IDROTECH® is a leather treatment with the aim to optimize the water resistance and the foot perspiration. This particular tunning method, thanks to the used mineral salts, gives an excellent softness and a complete mechanical resistance to oils and hydrocarbons. The IDROTECH® leather is certified according to the norms ISO 4045, ISO 17075 and ISO 5403.